



THE PHILIPPINE AGRICULTURAL SCIENTIST

*Founded in January 1911 by the Student Body of the
College of Agriculture of the University of the Philippines*



AN INTERNATIONAL JOURNAL OF TROPICAL AGRICULTURE AND RELATED SCIENCES
A PUBLICATION OF THE COLLEGE OF AGRICULTURE AND FOOD SCIENCE,
UNIVERSITY OF THE PHILIPPINES LOS BAÑOS

TABLE OF CONTENTS

Article Digests

ARTICLES

Salinity Tolerance and Trait Correlations of Selected Magic *Indica* Rice (*Oryza sativa* L.) Genotypes at Seedling Stage
Manuela A. Samaco, Neilyn O. Villa and Glenn B. Gregorio 312

Optimization of Sowing Time and Seed Rates Can Enhance Wheat Yield in Semi-Arid Environment
Abdul Basir, Adnan Tahir, Kilwat Afridi, Shah Fahad, Zahoor Ahmad, Muhammad Adnan, Mukhtar Alam, Shaheen Shah, Admad Khan, Fazli Wahid, Muhammad Ibrahim, Inayat-ur-Rahman, Mushtaq Ahmad Khan and Rehad Ali 326

Interpretation of Genotype by Environment Interaction for Barley Genotypes via Simultaneous Selection for Yield and Stability
Shadi Faramoushi, Hamid Hatami Maleki, Behrouz Vaezi and Naser Sabagnia 333

Physiological Responses to Low Temperature Conditioning and Chitosan Coating of Red-Fleshed Dragon Fruit [*Hylocereus polyrhizus* (Weber) Britton & Rose]
Angelo C. Castro, Elda B. Esguerra, Josephine U. Agravante and Lilia M. Fernando 344

Estimation of Alkali Spreading Value and Gelatinization Temperature of Some Philippine Rice Varieties Using Digital Photometry
Arvin Paul P. Tuaño, Carl H. Ricafort and Ernesto J. del Rosario 354

Production of Extracellular Lipase from the Antarctic Bacterial Isolate *Pseudomonas* sp. INK1 by Solid State Fermentation of Soybean Meal
Inkyung Park, Jaekoo Lee and Jaesoon Cho 363

Role of Different Nutrient Elements and AgNPs for *In Vitro* Shoot Proliferation of GF-677 Rootstock
Hajra Javed, Saima Mumtaz, Touqeer Ahmad, Muhammad Ajmal Bashir, Ishfaq Ahmad Hafiz and Abdul Razzaq 369

The Importance of Weather Forecasts and Meteorological Information in Adaptation to Climate Change in Agricultural Production: Some Preliminary Findings
Trinh Quang Thoai, Roberto F. Rañola, Jr. and Leni D. Camacho 377

Future Scenarios for the Supply and Demand for Fish in the Philippines: Simulations from the AsiaFish Model
U-Primo E. Rodriguez, Paul Joseph B. Ramirez, Glaiza J. Zamora, Maripaz L. Perez and Michael Phillips 393

Information for Contributors

The Importance of Weather Forecasts and Meteorological Information in Adaptation to Climate Change in Agricultural Production: Some Preliminary Findings

Trinh Quang Thoai¹, Roberto F. Rañola Jr.² and Leni D. Camacho³

¹Department of Economics, Vietnam National University of Forestry, Hanoi, Vietnam

²Department of Agricultural and Applied Economics, College of Economics and Management, University of the Philippines Los Baños, College, Laguna, Philippines

³Department of Social Forestry and Forest Governance, College of Forestry and Natural Resources, University of the Philippines Los Baños, College, Laguna, Philippines

*Author for correspondence; e-mail: thoitq@vfu.edu.vn; thoitq@gmail.com

Many studies have increasingly emphasized adaptation to climate change in agricultural production. Most of them have recognized that agronomic strategies such as shifting agricultural calendar, changing crop varieties and types, crop diversification, income diversification and improving irrigation infrastructure are the commonly used adaptive strategies to climate change. What these strategies have missed, however, is the critical role of meteorological information for farmers in coping with climate variability and change. This paper provides a synthesis of the issues raised in the literature related to the major role and importance of weather forecast and meteorological information in coping with climate change. A number of these issues were related to improving weather forecast and providing meteorological services as adaptive strategies to climate change. The findings of these studies on improving quality of weather forecast and meteorological information has shown that the strategies have been very beneficial for different stakeholders who are constantly facing risks and uncertainties from natural disasters. For decision makers, the benefits from using this information include improved risk management practices and better-targeted policies. For farmers, the use of such accurate meteorological information can result in higher output, productivity and income or lower avoided cost or losses. However, there are constraints and challenges in applying meteorological information in coping with climate change. The most challenging issue is how to ensure the accuracy of weather forecasts. A number of recommendations were proposed to ensure a more efficient and beneficial use of weather forecast and meteorological information in coping with climate change in agricultural production. These include: (1) enabling different institutions and stakeholders involved in weather forecast to ensure the accuracy of forecast results, (2) developing integrated research framework in using meteorological information, (3) strengthening and enriching farmer's meteorological knowledge, and (4) providing user-oriented features to increase the economic benefits of meteorological information to the public.

Key Words: climate change, adaptation to climate change, weather forecast, meteorological information

INTRODUCTION

Climate change has become a threat to human society (Ramirez-Villegas et al. 2012; Kibue et al. 2015), particularly in developing countries where smallholder farmers are greatly affected and are becoming increasingly vulnerable to extreme weather events caused by climate change (Lotze-Campen and Schellnhuber 2009; Altieri and Nicholls 2013; Comoé and Siegrist 2015). Thus,

adaptation to climate change is now gaining wide recognition and is a focal concern around the world (Smit and Skinner 2002; Wilbanks et al. 2007; Thornton and Combetti 2013). However, developing countries have lower adaptive capacity and do not have the essential technology for adaptation to climate change (Lotze-Campen and Schellnhuber 2009).

Agriculture as the major means of man for providing food sustainability is highly dependent on and strongly

affected by weather and climate as well as extremely related events (Mjelde et al. 1989; Das 2005; Motha and Murthy 2007; Sivakumar 2011; CIE 2014). In addition, adverse impacts of climate change on agricultural production lead to high poverty level (Mendelsohn et al. 2006) and food insecurity (Das 2005; Rosenzweig and Tubiello 2007; Nelson et al. 2009; Misra 2012; Connolly-Boutin and Smit 2015). Thus, adaptation to climate change is necessary to reduce losses in agricultural production (Wilbanks et al. 2007; Hirota et al. 2011). In addition, improvement of adaptive capacity to climate change in agriculture is not only a societal priority but also an imperative task to ensure food security and improve livelihood of smallholder farmers (Smit and Skinner 2002; Verchot et al. 2007; Bryan et al. 2009; Kibue et al. 2015).

Many studies have mentioned adaptive strategies to climate change in agricultural production. In these studies, adaptive strategies could be classified into different categories such as agricultural systems, location, and climate change scenarios (Rosenzweig and Tubiello 2007). They also include different options such as crop management, land management, irrigation management, income diversification, and rituals (Esham and Garforth 2013). Generally, mentioned adaptive strategies are mainly the coping methods that mostly relate to technical aspects of farming activities. However, technical adaptive strategies are not always effective for farmers to cope with future change in climate variability (Rosenzweig and Tubiello 2007; Marshall et al. 2011; Qiu and Prato 2012; Trørup and Stephan 2014). Thus, there is a need for alternative adaptive options to help farmers cope effectively with climate change in their agricultural production.

Weather forecast and meteorological information are useful not only in decision making for farm management but also in coping with natural disaster risks and uncertainties caused by climate change (Sivakumar et al. 1998; Sivakumar 2011). Thus, weather forecast and meteorological information have increasingly become important for countries to adapt to climate change (Rogers and Tsirkunov 2013). Improving seasonal weather forecast and providing meteorological information could provide a valuable tool for different stakeholders to reduce the adverse impacts of climate change (Patt and Gwata 2002; Ziervogel and Downing 2004; Amissah-Arthur 2005; Kloppe et al. 2006; Archer et al. 2007; Hamin and Gurran 2009; Marshall et al. 2011). For instance, farmers can use weather forecast information to change or modify their plan/program in agricultural production, which results in the reduction of losses or adaptation cost to climate change (Murphy 1990;

Keller et al. 2007; Trørup and Stephan 2014). In addition, by using accurate meteorological information, farmers could adjust their production activities and therefore maintain high crop yield under changed climate conditions (Williamson et al. 2002; Amissah-Arthur 2003; Amissah-Arthur 2005; Keller et al. 2007; Tena and Gómez 2009; Das 2010; Furman et al. 2011). To date, however, there has been no attempt to put together all available information on the importance and need for improving weather forecast and providing meteorological information for climate change adaptation that would most especially be useful for farmers and decision makers. Hence, this paper aimed to determine how improving weather forecast and providing meteorological information are necessary and important for farmers in coping with climate change.

MATERIALS AND METHODOLOGY

This paper is based on secondary information gathered from the literature searches. The study searched documents by using the websites of Science@Direct, ISIKnowledge, SpringerLink and Proquest Central. The search terms were "climate change adaptation in agriculture", "meteorological information in climate change adaptation", and "weather forecast in climate change adaptation". This study also screened documents through examination of the title, abstracts, methodology, full contents, and conclusion of the papers to find related topics.


A total of 175 related papers were gathered from these literature searches, most of which were journal articles (164/175 or 94%). There were 58 identified papers regarding the role and importance of information, weather forecast and meteorological information in climate change adaptation. In addition, the study areas of these papers were mostly Africa and Asia, which are most vulnerable to climate variability and change (Table 1). The papers covered the period 1999 to 2015, although most of them were during the period 2007 to 2015 (Fig. 1).

The literature search sought to find answers to the following questions: (1) How do smallholder farmers adapt or cope with climate variability and change in agricultural production?; (2) What strategies are used by smallholder farmers to adapt or cope with climate variability and change in agricultural production?; and (3) How do weather forecast and meteorological information help smallholder farmers in climate change adaptation in agricultural production?

A systematic review was undertaken in seeking

Table 1. Number of related papers by location

Item	No. of Papers	Frequency (%)
Total no. of papers	175	100
By location of study		
Africa	59	34
Asia	47	27
America	19	11
Europe	12	7
Oceania	9	5
Joint place	29	17

**Fig. 1.** Number of related papers classified by year published

answers to the research question regarding the importance of weather forecast and meteorological information in coping with climate change. "A systematic review attempts to collate all empirical evidence that fits pre-specified eligibility criteria in order to answer a specific research question" (Green et al. 2011). In addition, it "define(s) a research question, search for studies, assess their quality and synthesize findings qualitatively or quantitatively through using a transparent and systematic process" (Armstrong et al. 2011). According to Khan et al. (2003), the five steps in undertaking a systematic review include framing questions for a review, identifying relevant work, assessing the quality of studies, summarizing the evidence, and interpreting the findings.

RESULTS

Prevailing Adaptive Options to Climate Change in Agricultural Production

Climate change has increasingly affected adversely crop production and yields in important agricultural regions of the world (Almaraz et al. 2008; Reidsma et al. 2009). Thus, adaptation to climate change in agricultural production has been increasingly considered by most of the countries, organizations and individuals (Smit and Skinner 2002;

Wilbanks et al. 2007; Thornton and Comberty 2013). This explains why many studies have mentioned adaptive strategies to climate change in agriculture in the different regions of the world. Many adaptive strategies have been mentioned in these studies. Of these adaptive options, technical adaptation strategies are the most common practices of farmers in coping with climate change (Table 2). A large number of selected papers (72%) emphasized the importance of technical strategies in climate change adaptation.

Technical or agronomic adaptive strategies include different adjustments related to farming techniques, irrigation infrastructure/technology improvement, soil conservation, land and water management, and other related issues (Rosenzweig and Tubiello 2007; Below et al. 2014). Improving farming techniques had significant effects on farmers' adaptation to climate change in many countries and regions such as the Middle East (Iglesias et al. 2011), North America (Grasso and Feola 2012), and Vietnam (Bastakoti et al. 2014).

At present, adaptive strategies related to cultural practices such as shifting agricultural calendar, changing cultivar variety and type, and crop rotation and diversification have been widely adopted in climate change adaptation (Rosenzweig and Tubiello 2007; Lotze-Campen and Schellnhuber 2009; Esham and Garforth 2013; Keshavarz et al. 2014; Below et al. 2014). Among the different cultural practices, the most often mentioned in the papers was changing the agricultural calendar (Table 2). The importance of other farming techniques (changing crop systems and varieties, switching to new cultivars, and production diversification) was also mentioned by many researchers such as Bradshaw et al. (2004), Rosenzweig and Tubiello (2007), Reidsma et al. (2010), Birkmann (2011), Arbuckle Jr. et al. (2013), Jamir et al. (2013), Bonzanigo et al. 2014), and Westengen and Brysting (2014).

Soil conservation and land management were also mentioned as efficient technical strategies for smallholder

Table 2. Common adaptive options to climate change in agricultural production.

Adaptive strategy	No. of Papers	Frequency (%)
Total no. of papers	141	-
1. Technical adaptation strategies	101	72
Change agricultural calendar	39	28
Change crop variety	29	21
Diversify crop or production system	22	16
Improve irrigation infrastructure/technology	22	16
Change or modify crop system/ Crop rotation	14	10
Change cultivar type	13	9
Improve water management	12	9
Improve soil/land conservation	10	7
Change farming practice	3	2
Adopt agroforestry system	6	4
Use smart-farming approach	4	3
2. Social adaptation strategies	18	13
Develop knowledge/skills	4	3
Use indigenous knowledge	5	4
Develop social networks	6	4
Strengthen institutional capacities	6	4
3. Financial and economic adaptation strategies	22	15
Access to credits	17	12
Access to markets	4	3
Income diversification	5	6
*Multiple choices		

farmers to minimize negative impacts of climate change in agricultural production (Rosenzweig and Tubiello 2007; Eakin et al. 2014; Aleksandrova et al. 2015). This was also mentioned in the studies of Ebi et al. (2011) in Mali, Bonzanigo et al. (2014) in Italia, and Klein et al. (2013 and 2014) in Switzerland. Improving irrigation infrastructure and water management practices were also found to be useful for farmers in confronting climate change (Yang et al. 2007; Wantanabe and Kume 2009; Sowers et al. 2011; Sissoko et al. 2011; Dono et al. 2013; Sima et al. 2015). There were also similar findings in Ethiopia (Demeke et al. 2011), Mali (Ebi et al. 2011), Itali (Bonzanigo et al. 2014), and Thailand (Koontanakulvong et al. 2014).

Other technical adaptation strategies such as agroforestry techniques and climate-smart agriculture techniques were also found to be effective adaptive strategies in several studies. Agroforestry could maintain agricultural production activities (Verchot et al. 2007; Nguyen et al. 2013) and provide food during shortage or cash source for weather-related crop failure under changed climate conditions (Fisher et al. 2010). This is similar to findings of Thorlakson and Neufeldt (2012) in Kenya, and Rahn et al. (2014) in Nicaragua. Climate-smart agriculture could also facilitate climate change adaptation or provide the basis for development of the capacity for farmers to respond and adapt to climate change (Kenny

2011; Scherr et al. 2012; Zhang et al. 2015). The importance of climate-smart agriculture technique for farmers in coping with climate change was mentioned in the studies of Wantanabe and Kume (2009) in Japan, Murungweni et al. (2015) in Zimbabwe, and Zhang et al. (2015) in China.

Social adaptation strategies or soft strategies also play an important role in addressing adverse impacts of climate change (Hallegatte 2009). Social adaptive strategies relate directly to improving the household's social capital (Sowers et al. 2011; Esham and Garforth 2013; Kassie et al. 2013). Improving social capital of the household could help farmers in many countries such as Australia (Marshall et al. 2011), Ghana (Antwi-Agyei et al. 2013), Kenya (Jalón et al. 2015), and Tanzania (Mutabazi et al. 2015) to cope effectively with climate change in their agricultural production. Social adaptation strategies include improving human recognition and knowledge on climate change, strengthening social network and institutional capacity, providing information and extension services, and building capacity for farmers (Sowers et al. 2011; Esham and Garforth 2013; Kassie et al. 2013). The efficiency of improving farmers' recognition and knowledge in coping with climate change was mentioned in a number of studies such as those of Reidsma et al. (2010) in Europe, Marshall et al. (2011) in Australia, Newsham and Thomas (2011) in Namibia, and




Fig. 2. Number of studies related to information and meteorological information in climate change adaptation.

Pennesi et al. (2012) in the Arctic. Strengthening social network, institutional capacity and community participation is also another significant strategy for farmers to cope with climate change. This is consistent with the findings of several studies in different countries and regions such as India (Prabhakar and Shaw 2008), Ghana (Westerhoff and Smith 2009; Yaro 2013; Antwi-Agyei et al. 2013 & 2014), Mesoamerica (Eakin et al. 2011), Slovakia, Tajikistan and Ukraine (Bizikova et al. 2014), Malawi and Kenya (Brooks 2014), and Nicaragua (Rahn et al. 2014).

Economic and financial adaptive strategies that relate to income diversification and access to market and credit are also useful for farmers in climate change adaptation. Income or livelihood diversification (off-farm employment, leased cropping land, etc.) is an effective solution for smallholder farmers in climate change adaptation (Thomas et al. 2007; Esham and Garforth 2013; Keshavarz et al. 2014). This was used in several countries such as Canada (Bradshaw et al. 2004), Tanzania (Paavola 2008), India (Jamir et al. 2013), and Ghana (Antwi-Agyei et al. 2013 & 2014). Better access to market could help farmers cope effectively with climate change in their agricultural production. Similar findings were mentioned by Hassan and Nhemachena (2008) in Africa, Steffen et al. (2011) in Australia, Eakin et al. (2011) in Mesoamerica, Tambo and Abdoulaye (2012) in Nigeria, Kassie et al. (2013) in Ethiopia, and Koopman et al. (2015) in the Netherlands. Facilitating access to credit could also help farmers adapt more efficiently to climate change in agricultural production (Hassan and Nhemachena 2008; Ebi et al. 2011). This was similarly found in many countries and regions such as Mesoamerica (Eakin et al. 2011), Kenya (Tambo and Abdoulaye 2012), Uganda (Hisali et al. 2011), Nigeria (Tambo and Abdoulaye 2013), Ethiopia (Di Falco et al. 2012; Kassie et al. 2013), and

Ghana (Fosu-Mensah et al. 2012; Yaro 2013).

The Importance of Weather Forecast and Meteorological Information in Climate Change Adaptation

Information is a key asset for society and has increasingly played an important role in socio-economic analysis (Arrow 1999; Higson and Waltho 2010). However, information normally has characteristics of the public goods (Teisberg et al. 2005; Houghton 2011; Bernknopf and Shapiro 2015). It is because information is scarce and costly to both individuals and the whole society (Arrow 1999). In addition, information is always imperfect or asymmetric (Varian 1992; Arrow 1999; Stiglitz 2000). Asymmetric information occurs because one economic agent could know something that another economic agent does not (Varian 1992), or one party cannot obtain freely (or at all) information available to another (Arrow 1999). Asymmetric information causes market failure and therefore may not yield Pareto efficiency that is the basis for socio-economic policy-making (Schotter 2009; Krugman and Wells 2012). Thus, providing accurate or perfect information is very important for policy making as well as in solving social and economic issues.

Meteorological information is useful for farmers not only in decision making for farm management but also in coping with natural disaster risks and uncertainties (Sivakumar et al. 1998; Hansen 2002; Sivakumar 2011). In addition, meteorological information has played an important role in recommending appropriate agricultural management practices to ensure sustainable production under climate change (Murthy and Stigter 2004; Rathore et al. 2011; Saroar and Routray 2012; Roco et al. 2014; Jalón et al. 2015). By using accurate meteorological information, farmers could adjust their production activities (Williamson et al. 2002; Amissah-Arthur 2003; Amissah-Arthur 2005; Keller et al. 2007; Tena and Gómez 2009; Cardoso et al. 2010; Furman et al. 2011), and therefore their crop yields could be stabilized under climate change conditions (Das 2010).

Providing information could benefit farmers in coping with climate change in agricultural production. This was justified in the studies of Tarnoczi and Berkes (2010) in Canada, Kassie et al. (2013) in Ethiopia, Yaro (2013) in Ghana, Monterroso et al. (2014) in Mexico, and Fisher et al. (2015) in sub-Saharan Africa. Providing information on climate change has also been a core adaptive strategy for smallholder farmers in agricultural production (Smit and Skinner 2002). This supports for findings of Di Falco et al. (2012) in Ethiopia, Tambo and Abdoulaye (2012, 2013) in

Nigeria, and Le et al. (2014) in Mekong Delta, Vietnam. These concluded that the key driver of climate change adaptation of smallholder farmers was access to quality and timely information on future climate change. Moreover, Bonzanigo et al. (2014) identified that information on climate change had a significant and positive impact on adaptive plans to climate change of farmers. This is similar to the conclusion of Acosta-Michlik and Espaldon (2008), Deressa et al. (2009), Fosu-Mensah et al. (2012), and Gebrehiwot and Veen (2013) that lack of reliable information on climate change would be a barrier to farmers in coping with climate change in agricultural production. However, Patt and Schröter (2008) revealed the opposite finding that adaptive behavior did not change in Mozambique farmers although they receive information on climate change.

Improving quality of weather forecast and providing accurate meteorological information has been increasingly the focus in climate change adaptation strategies. This explains why the number of papers that mentioned the importance of improving the quality of weather forecast and meteorological information in climate change adaptation has been increasing in recent years (Fig. 2). Results of these papers revealed that improving seasonal weather forecast could provide a valuable tool for different stakeholders to reduce adverse impacts of climate change. This was found in various papers of Patt and Gwata (2002), Ziervogel and Downing (2004), Amissah-Arthur (2005), Kloppe et al. (2006), Archer et al. (2007), Hamin and Gurran (2009), Marshall et al. (2011), Ebi et al. (2011), Jamir et al. (2013), and Kunimitsu et al. (2015). In addition, improving weather forecast could also help farmers in different countries to have plausible adaptive planning in response to climate change in their agricultural production. This was demonstrated in many countries and regions such as Brazil (Lemos et al. 2002), South Africa (Boone et al. 2004), Burkina Faso (Roncoli et al. 2009), USA (Crane et al. 2011), the Mediterranean region (Grasso and Feola 2012), and Côte d'Ivoire (Comoé et al. 2014).

Providing precise information on climate change was a useful adaptive strategy for farmers to cope with climate change in their agricultural production. This was mentioned in the various papers such as studies of Smit and Skinner (2002), Das (2005), Guerreiro (2005), Meinke and Stone (2005), Acosta-Michlik and Espaldon (2008), Hassan and Nhemachena (2008), Deressa et al. (2009), Fosu-Mensah et al. (2012), Batisani and Yarnal (2010), Goddard et al. (2010), and Munang et al. (2010), Esham and Garforth (2013), and Gebrehiwot and Veen (2013).

Farmers may improve their adaptive capacity to climate change if they can have access to relevant meteorological information (Challinor et al. 2007). This is in line with conclusions of Risbey et al. (1999) in Australia, Amissah-Arthur (2005) in sub-Saharan Africa, Kloppe et al. (2006) in South Africa, Roncoli et al. (2009) in Burkina Faso, Sissoko et al. (2011) in West African Sahel, Saroar and Routray (2012) in Bangladesh, Gebrehiwot and Veen (2013) in Ethiopia, Baudoin et al. (2014) in Benin, Roco et al. (2015) in Chile, and Jalón et al. (2015) in Kenya. This finding is also justified in many countries and regions such as Canada (Tarnoczi and Berkes 2010), Nigeria (Tambo and Abdoulaye 2012 & 2013), Ethiopia (Di Falco et al. 2012; Kassie et al. 2013), Ghana (Yaro, 2013), Italia (Bonzanigo et al. 2014), Mexico (Monterroso et al. 2014), Vietnam (Le et al. 2014), and sub-Saharan Africa (Fisher et al. 2015). Moreover, providing precise meteorological could also help farmers to reduce risks caused by climate change in their agricultural production. This is similar to conclusions of Templeton et al. (2014) in the US, and Debela et al. (2015) in Ethiopia, that indicated that agricultural risks caused by climate change would be reduced if farmers were provided accurate meteorological information.

DISCUSSION

The most common adaptive strategies to climate change in agricultural production, that were mentioned in many papers, are mainly related to adjusting farming activities such as changing the farming calendar, shifting to new cultivars, changing crop varieties and crop diversification. However, many studies showed the disadvantages of the adaptive strategies associated with adjusting farming activities. Bradshaw et al. (2004) revealed that crop diversification was unlikely adopted as adaptive option by farmers in Canada. According to Brooks (2014), there were more conflicts than synergies between applying new crop varieties and crop diversification in climate change adaptation in Malawi and Kenya. In addition, crop switching has not been generally captured in the context of climate change adaptation in South America (Seo and Mendelsohn 2008), and could not reduce adverse economic impacts of climate change on crop producers in the USA (Qui and Prato 2012). Changing sowing dates was also an ineffective adaptive strategy (Tingem and Rivington 2008; Srivastava et al. 2015) and did not bring any significant changes in the households' capacity to reduce losses caused by climate change (Gioli et al. 2013). The reason is that shifting the agricultural calendar is only an emergency response adopted on a seasonal basis (Gioli et al. 2013). Changing cultivar type was also not effective in reducing adverse impacts of climate change in

Ethiopia (Kassie et al. 2015). Mentioned also were social, economic, and financial limitations of the adaptive strategies. Thomas et al. (2007) and Eakin et al. (2014) concluded that income or livelihood diversification is not an effective strategy for farmers to cope with climate variability and change. According to Jalón et al. (2015), access to credit did not affect farmers' adaptive behavior to climate change.

In recent years, improving weather forecast and providing accurate meteorological information have been increasingly determined as significant strategies for farmers in coping with climate change in agricultural production. Improving quality of seasonal weather forecast could provide a valuable tool for different stakeholders to reduce adverse impacts of climate change. This is consistent with the findings of Patt and Gwata (2002), Ziervogel and Downing (2004), Amissah-Arthur (2005), Kloppe et al. (2006), Archer et al. (2007), Hamin and Gurran (2009), Marshall et al. (2011), Ebi et al. (2011), Jamir et al. (2013), and Kunimitsu et al. (2015). Improving quality of weather forecast could also help farmers in different countries in coming up with more plausible adaptive planning to climate change in their agricultural production. This finding was found in many countries and regions such as Brazil (Lemos et al. 2002), South Africa (Boone et al. 2004), Burkina Faso (Roncoli et al. 2009), USA (Crane et al. 2011), Côte d'Ivoire (Comoé et al. 2014), and the Mediterranean region (Grasso and Feola 2012).

The importance of improving weather forecast for farmers in coping with climate change has been recognized in many studies. According to Lemos et al. (2002), weather forecasting provided potential opportunity for different bureaucracies in Brazil to make plausible adaptive planning to climate change. This agrees with findings of Boone et al. (2004) in South Africa, Roncoli et al. (2011) in Uganda, Ebi et al. (2011) in Mali, Grasso and Feola (2012) in the Mediterranean region, and Yaro (2013) in Ghana. Based on accurate weather forecasts, farmers could adjust their existing adaptive strategies and therefore reduce adverse impacts of climate change (Ziervogel and Downing 2004; Kloppe et al. 2006; Marshall et al. 2011). This is consistent with findings of many researchers in different countries and regions such as Patt and Gwata (2002) in Zimbabwe, Amissah-Arthur (2005) in Sub-Saharan Africa, Archer et al. (2007) in Southern Africa, Hamin and Gurran (2009) in the U.S. and Australia, Crane et al. (2011) in USA, Jamir et al. (2013) in India, and Kunimitsu et al. (2015) in Japan.

Providing timely and accurate meteorological

information could help farmers cope effectively with the adverse effects of climate change in agricultural production (Das 2005; Guerreiro 2005; Batisani and Yarnal 2010; Goddard et al. 2010). This is similar to the findings in many countries and regions such as South Africa (Kloppe et al. 2006), Uganda (Roncoli et al. 2011), West African Sahel (Sissoko et al. 2011), Bangladesh (Saroar and Routray 2012), Ethiopia (Gebrehiwot and Veen 2013), Ghana (Yaro 2013), USA (Templeton et al. 2014), and Benin (Baudoin et al. 2014). Availability of accurate meteorological information may also help farmers reduce risks caused by climate change (Risbey et al. 1999; Munang et al. 2010; Debela et al. 2015) or have optimal adaptive strategies (Amissah-Arthur 2005; Challinor et al. 2007; Hassan and Nhemachena 2008; Roco et al. 2015; Jalón et al. 2015). Thus, all countries should consider the policies that encourage improving quality of weather forecast and meteorological information in climate change adaptation (Perarnaud et al. 2005). This finding agrees with the conclusions of Sivakumar et al. (2005) in Africa, and Ustrnul et al. (2015) in Poland.

In addition, improving weather forecast and providing accurate meteorological information could also bring empirical economic value for farmers in coping with climate change (Amissah-Arthur 2005). This is consistent with the finding of Bernknopf and Shapiro (2015). Generally, the value of meteorological information could be an outcome of the choice in uncertain situations (Macauley 2005). In reality, many studies showed the economic value of weather forecast and meteorological information in different countries. Based on the estimates of the Center of International Economics (CIE) in 2014, the potential economic value of weather forecast to the agriculture industry in Australia was around AU\$1.567 million.

Economic value of weather forecast and meteorological information in climate change adaptation could be the gains in output, productivity or profit from using additional information (Macauley 2005; Hay 2007). This is similar to conclusions of Borisova et al. (2009), Tena and Gómez (2009), and Hansen et al. (2011). This is also justified in different countries such as Brazil (Cardoso et al. 2010), and USA (Solí and Leton, 2013). Rao and Manikandan (2008) revealed that Indian farmers who used weekly meteorological information got 6.3–19.2%, 6.4–12.2% and 7.3–8% increase in yield of rice, banana and coconut, respectively, compared with other farmers who did not. In Australia, the potential economic value of meteorological information was around \$10–12/ha with respect to perfect forecast of rainfall (Wang et al. 2009).

Farmers in Zimbabwe who used meteorological information in planning had higher benefit (9%) than farmers who did not apply forecast information (Hansen et al. 2011). Economic value of weather forecast and meteorological information in climate change adaptation could also include a reduction in losses caused by climate change or a decrease in avoided cost (Katz and Murphy 1997; Hansen 2002; Hay 2007). This is similar to the findings of Wang et al. (2009), Hubbard and Millar (2014), Trørup and Stephan (2014), and Häggquist and Söderholm (2015). Many studies revealed economic value of weather forecast and meteorological information in the context of reducing losses caused by climate change or decreasing avoided cost. The agricultural sector of the U. S. saved an additional \$40 million per year in avoided irrigation costs through using more accurate short-term weather forecast (Williamson et al. 2002). According to Teisberg et al. (2005), U. S. electricity generators saved \$166 million annually through using the meteorological information obtained from the forecast of National Weather Services. The potential economic value of climatological information was around \$400/ha, about \$54/ha in nitrogen reduction, and \$10–12/ha with respect to perfect forecast of rainfall (Wang et al. 2009). Rathore et al. (2011) indicated that the use of agrometeorological information reduced the cost of cultivation up to 25% for paddy, wheat, fruits and vegetables in some selected areas in India.

CONCLUSION

Adaptation to climate change in agricultural production has increasingly been considered by individuals, organizations, and countries in the world. During the early stage, adaptation to climate change in agriculture mainly focused on agronomic strategies. These strategies include shifting agriculture calendar, changing crop variety and type, crop diversification, income diversification and improving irrigation infrastructure. However, these strategies have increasingly been found not to be always useful for farmers in coping with climate variability and change.

In recent years, many studies have increasingly focused on the importance of improving weather forecast and meteorological information in adaptation to climate change in agricultural production. The number of studies that focused on the importance of improving weather forecast and meteorological information in coping with climate change has also significantly increased. Accurate weather forecast and meteorological information are substantial for decision making in both farm management and coping

with natural disaster risks and uncertainties. In addition, decision makers can improve risk management practices or get better-targeted policies by using meteorological information (Meinke and Stone 2005). Based on accurate meteorological information given by weather forecasts, farmers could have more effective adaptive strategies or improve their adaptive capacities to climate change. Farmers could also gain tangible economic values (e.g., gains in outputs, productivities, profits, or value added; or decrease in avoided cost, or reduction in losses caused by climate change) by using accurate meteorological information in coping with climate change in their agricultural production.

Although weather forecast and meteorological information have been useful in climate change adaptation, improving access to climatological information is only half of the battle to adapt to climate change (Chikozho 2010) because of the many constraints and challenges faced in applying meteorological information in coping with climate change (Patt and Gwata 2002; Ziervogel et al. 2010). Optimal use of seasonal weather forecasts would also be limited by constraints such as the method of providing, interpreting and applying forecasts in a variety of decision-making processes (Klopper et al. 2006). Furthermore, it is not easy to determine the impact of full integration of the weather forecast with other information on decision strategies (Goddard et al. 2010). The most challenging issue in applying meteorological information in adaptation to climate change is ensuring weather forecast accuracy (Rathore et al. 2011). Therefore, the first prerequisite in using climatological information in climate change adaptation is that forecasted information must be real and perceived (Hansen 2002). In addition, government policies on climate change adaptation should focus on providing plausible weather forecasts (Comoé et al. 2014). To do so, it should better enable different institutions and stakeholders involved in weather forecast (Archer et al. 2007).

Furthermore, in order to achieve benefits from using meteorological information in coping with climate change, an integrated research framework is required. This framework comprises multiple disciplines including climate science, agricultural system science, rural sociology and many other disciplines (Meinke and Stone 2005). In addition, strengthening and enriching farmer's agrometeorological knowledge is also necessary to ensure that they can benefit from applying meteorological information in climate change adaptation (Winarto et al. 2013). Finally, there is a need for user-oriented features including more content and a technical infrastructure to increase the economic benefits of meteorological

information to the public (Lee et al. 2014).

ACKNOWLEDGEMENTS

This work was implemented under project P55 “Agro-Climate Information Services for women and ethnic minority (ACIS) farmers in Southeast Asia” as part of the CGIAR Research Program on Climate Change, Agriculture and Food Security (CCAFS), which is carried out with support from CGIAR Fund Donors and through bilateral funding agreements.

REFERENCES CITED

- ACOSTA-MICHLIK L, ESPALDON V. 2008. Assessing vulnerability of selected farming communities in the Philippines based on a behavioural model of agent's adaptation to global environmental change. *Glob Environ Change* 18: 554–563.
- ALEKSANDROVA M, GAIN AK, GIUPPONI C. 2015. Assessing agricultural systems vulnerability to climate change to inform adaptation planning: An application in Khorezm, Uzbekistan. *Mitig Adapt Strat Gl*. DOI 10.1007/s11027-015-9655-y.
- ALMARAZ JJ, MABOOD F, ZHOU A, GREGORICH EG, SMITH DL. 2008. Climate change, weather variability and corn yield at a higher latitude locale: Southwestern Quebec. *Clim Change*. DOI 10.1007/s10584-008-9408-y.
- ALTIERI MA, NICHOLLS CI. 2013. Adaptation and mitigation potential of traditional agriculture in a changing climate. *Clim Change*. DOI 10.1007/s10584-013-0909-y.
- AMISSAH-ARTHUR A. 2003. Targeting climate forecasts for agricultural application in Sub-Saharan Africa: Situating farmers in user-space. *Clim Change* 58: 73–92.
- AMISSAH-ARTHUR A. 2005. Value of climate forecasts for adjusting farming Strategies in Sub-Saharan Africa. *Geojournal* 62: 181–189.
- ANTWI-AGYEI P, DOUGILL AJ, FRASER EDG, STRINGER LC. 2013. Characterising the nature of household vulnerability to climate variability: Empirical evidence from two regions of Ghana. *Environ Dev Sustain* 15: 903–926.
- ANTWI-AGYEI P, STRINGER LC, DOUGILL AJ. 2014. Livelihood adaptations to climate variability: Insights from farming households in Ghana. *Reg Environ Change* 14: 1615–1626.
- ARBuckle Jr JG, MORTON LW, HOBBS J. 2013. Farmers' beliefs and concerns about climate change and attitudes toward adaptation and mitigation: Evidence from Iowa. *Clim Change* 118: 551–563.
- ARCHER, E, MUKHALA E, WALKER S, DILLEY M, MASAMVU K. 2007. Sustaining agricultural production and food security in Southern Africa: An improved role for climate prediction? *Clim Change* 83: 287–300.
- ARMSTRONG R, HALL BJ, DOYLE J, WATERS E. 2011. ‘Scoping the Scope’ of a Cochrane Review. *J Public Health* 33(1): 147–150.
- ARROW KJ. 1999. Information and the Organization of Industry. In: Chichilnisky G, editor. *Markets, Information and Uncertainty: Essays in Economic Theory in Honor of Kenneth J. Arrow*. Cambridge, UK: Cambridge University Press.
- BASTAKOTI RC, GUPTA J, BABEL MS, DIJK MPV. 2014. Climate risks and adaptation strategies in the Low Mekong River Basin. *Reg Environ Change* 14: 207–219.
- BATISANI N, YARNAL B. 2010. Rainfall variability and trends in semi-arid Botswana: Implication for climate change adaptation policy. *Appl Geogr* 30: 483–490.
- BAUDOIN M-A, SANCHEZ AC, FANDOHAN B. 2014. Small scale farmers' vulnerability to climate change in Southern Benin: The importance of farmers' perceptions of existing institutions. *Mitig Adapt Strat Gl* 19: 1195–1207.
- BELOW TB, SCHMID JC, SIEBER S. 2014. Farmers' knowledge and perception of climate change adaptation: A case study from two Tanzanian villages. *Reg Environ Change*. DOI 10.1007/s10113-014-0620-1.
- BERNKNOFF R, SHAPIRO C. 2015. Economic assessment of the use value of geospatial information. *ISPRS Int J Geoinf* 4: 1142–1165.
- BIRKMANN J. 2011. First- and second-order adaptation to natural hazards and extreme events in context of climate change. *Nat Hazards* 58: 811–840.
- BIZIKOVA L, NIJNIK M, NIJNIK A. 2014. Exploring institutional changes in agriculture in inform adaptation planning to climate change in transition countries. *Mitig Adapt Strat Gl*. DOI 10.1007/s11027-014-9552-9.
- BONZANIGO L, BOJOVIC D, MAZIOTIS A, GIUPPONI C. 2014. Agricultural policy informed by farmers'

- adaptation experience to climate change in Veneto, Italy. *Reg Environ Change*. DOI 10.1007/s10113-014-0750-5.
- BOONE RB, GALVIN KA, COUGHENOUR MB, HUDSON JW, WEISBERG PJ, VOGEL CH, ELLIS JE. 2004. Ecosystem modeling adds value to a South Africa climate forecast. *Clim Change* 64: 317–340.
- BORISOVA T, BREUNER N, GRINGBERG I. 2009. Economic approach to valuing information with applications to climate change information. EDIS Document FE801. Gainesville, USA: University of Florida.
- BRADSHAW B, DOLAN H, SMIT B. 2004. Farm-level adaptation to climatic variability and change: Crop diversification in the Canadian prairies. *Clim Change* 67: 119–141.
- BROOKS S. 2014. Enabling adaptation? Lessons from the New “Green Revolution” in Malawi and Kenya. *Clim Change* 122: 15–26.
- BRYAN E, DERESSA TT, GBETIBOUO GA, RINGLER C. 2009. Adaptation to climate change in Ethiopia and South Africa: Options and constraints. *Environ Sci Policy* 12: 413–426.
- CARDOSO ADO, PINTO HS, ÁVILA AMHD, DIAS PLDS, MARIN FR, PILAU F. 2010. Extended time weather forecasts contributes to agricultural productivity estimates. *Theor Appl Climatol* 102: 343–350.
- CHALLINOR A, WHEELER T, GARFORTH C, CRAUFURD P, KASSAM A. 2007. Assessing vulnerability of food crop systems in Africa to climate change. *Clim Change* 83: 381–399.
- CHIKOZHO C. 2010. Applied social research and action priorities for adaptation to climate change and rainfall variability in the rainfed agricultural sector of Zimbabwe. *Phys Chem Earth* 35: 780–790.
- [CIE] Center for International Economics. 2014. Analysis of the Benefits of Improved Seasonal Climate Forecasting for Agriculture. Research Report. Canberra ACT & Sydney NSW 2000, Australia: The Center for International Economics.
- COMOÉ H, FINGER R, BAJORLLE D. 2014. Farm management decision and response to climate variability and change in Côte d’Ivoire. *Mitig Adapt Strat Gl* 19: 123–142.
- COMOÉ H, SIEGRIST M. 2015. Relevant drivers of farmers’ decision behavior regarding their adaptation to climate change: A case study of two regions in Côte d’Ivoire. *Mitig Adapt Strat Gl* 20: 179–199.
- CONNOLLY-BOUTIN LC, SMIT B. 2015. Climate change, food security, and livelihood in Sub-Saharan Africa. *Reg Environ Change*. DOI 10.1007/s10113-015-0761-x.
- CRANE TA, RONCOLI C, HOOGENBOOM G. 2011. Adaptation to climate change and climate variability: The importance of understanding agriculture as performance. *NJAS-Wagen J Life Sci* 57: 179–185.
- DAS HP. 2005. Agrometeorological impact assessment of natural disasters and extreme events and agricultural strategies adopted in areas with high weather risk. In: Sivakumar MVK, Motha PR, Das HP, editors. *Natural Disaster and Extreme Events in Agriculture*. New York, USA: Springer-Verlag Berlin Heidelberg. p. 93–118.
- DAS HP. 2010. The selection of actual preparedness strategies for dealing with climate as adopted in monocropping. In: Stigter K, editor. *Applied Meteorology*. New York, USA: Springer-Verlag Berlin Heidelberg. p. 315–319.
- DEBELA N, MOHAMMED C, BRIDLE K, CORKLEY R, MCNEIL D. 2015. Perception of climate change and its impact by smallholders in pastoral/agropastoral system of Borana, South Ethiopia. *SpringerPlus* 4 (236), DOI 10.1186/s40064-015-1012-9.
- DEMEKE AB, KEIL A, ZELLER M. 2011. Using panel data to estimate the effects of rainfall shocks on smallholders food security and vulnerability in Rural Ethiopia. *Clim Change* 108: 185–206.
- DERESSA TT, HASSAN RM, RINGLER C, ALEMU T, YESUF M. 2009. Determinants of farmers’ choice of adaptation methods to climate change in the Nile Basin Ethiopia. *Glob Environ Change* 19: 248–255.
- DI FALCO SD, YESUF M, KOHLIN G, RINGLER C. 2012. Estimating the impact of climate change on agriculture in low-income countries: Household level evidence from the Nile Basin, Ethiopia. *Environ Resour Econ* 52: 457–478.
- DONO G, CORTIGNANI R, DORO L, GIRALDO L, LEDDA L, PASQUI M, ROGGERO PP. 2013. An integrated assessment of the impacts of climate change on agricultural productivity and profitability in an irrigated Mediterranean catchment. *Water Resour Manage* 27: 3607–3622.
- EAKIN H, BOJÓRQUEZ-TAPIA LA, DIAZ RM, CASTELLANOS E, HAGGAR J. 2011. Adaptive capacity and social-environmental change: Theoretical and operational modeling of smallholder coffee systems responses in Mesoamerican Pacific Rim. *Environ Manage* 47: 352–367.

- EAKIN H, TUCKER CM, CASTELLANOS E, DIAZ-PORRAS R, BARRERA JF, MORALES H. 2014. Adaptation in a multi-stressors Environment: Perceptions and responses to climatic and economic risks by coffee growers in Mesoamerica. *Environ Dev Sustain* 16: 123–139.
- EBI KL, PADGHAM J, DOUMBIA M, KERGA A, SMITH J, BUTT T, McCarl B. 2011. Smallholders adaptation to climate change in Mali. *Clim Change* 108: 423–436.
- ESHAM M, GARFORTH C. 2013. Agricultural adaptation to climate change: Insights from a farming community in Sri Lanka. *Mitig Adapt Strat Gl* 18: 535–549.
- FISHER M, CHAUDHURY M, MCCUSKER B. 2010. Do forests help rural households adapt to climate variability? Evidence from South Malawi. *World Dev* 38(9): 1241–1250.
- FISHER M, ABATE T, LUNDUKA RW, ASNAKE W, ALEMAYEHU Y, MADULU RB. 2015. Drought tolerant maize for farmer adaptation to drought in Sub-Saharan Africa: Determinants of adoption in Eastern and Southern Africa. *Clim Change*. DOI 10.1007/s10584-015-1459-2.
- FOSU-MENSAH BY, VLEK PLG, MACCARTHY DS. 2012. Farmers' perception and adaptation to climate change: A case study of Sekyedumase District in Ghana. *Environ Dev Sustain* 14: 495–505.
- FURMAN C, RONCOLI C, CRANE T, HOOGENBOOM G. 2011. Beyond the "fit": Introducing climate forecasts among organic farmers in Georgia (United States). *Clim Change* 109: 791–799.
- GEBREHIWOT T, VEEN AVD. 2013. Farm level adaptation to climate change: The case of farmers in the Ethiopian highlands. *Environ Manage* 52: 29–44.
- GIOLI G, KHAN T, SCHEFFRAN J. 2013. Climatic and environmental change in the Karakoram: Making sense of community perception and adaptation strategies. *Reg Environ Change* 14: 1151–1162.
- GODDARD L, AICHELLOUCHE Y, BAETHGEN W, DETTINGER M, GRAHAM R, HEYMAN P, KADI M, MATÍNEZ R, MEINKE H with additional contributions by CONRAD E. 2010. Providing Seasonal-to-Interannual Climate Information for Risk Management and Decision Making. *Procedia Environ Sci* 1: 81–101.
- GRASSO M, FEOLA G. 2012. Mediterranean agriculture under climate change: Adaptive capacity, adaptation and ethics. *Reg Environ Change* 12: 607–618.
- GREEN S, HIGGINS JPT, ALDERSON P, CLARKE M, MULROW CD, OXMAN AD. 2011. Introduction. In: Julian P, Higgins T, Green S, editors. *Cochrane Handbook for Systematic Reviews of Intervention*. The Cochrane Collaboration. <http://handbook.cochrane.org/> retrieved April 1, 2017.
- GUERREIRO RPR. 2005. Accessibility of database information to facilitate early detection of extreme events to help mitigate their impacts on agriculture, forestry and fisheries. In: Sivakumar MVK, Motha RP, Das HP, editors. *Natural Disasters and Extreme Events in Agriculture*. New York: Springer-Verlag Berlin Heidelberg. p. 51–70.
- HALLEGATTE S. 2009. Strategies to adapt to an uncertain climate change. *Glob Environ Change* 19: 240–247.
- HAMIN EM, GURRAN N. 2009. Urban form and climate change: Balancing Adaptation and mitigation in the U.S. and Australia. *Habitat Int* 33: 238–245.
- HANSEN JW. 2002. Realizing the potential benefits of climate prediction to agriculture: Issues, approaches and challenges. *Agric Syst* 74: 309–330.
- HANSEN JW, MASON SJ, SUN L, TALL A. 2011. Review of seasonal climate forecasting for agriculture in Sub-Saharan Africa. *Exp Agr* 47 (2): 205–240.
- HASSAN R, NHEMACHEMA C. 2008. Determinants of African farmers' strategies for adapting to climate change: Multinomial choice analysis. *The African Journal of Agricultural and Resource Economics (AfJARE)* 2(1): 84–104.
- HAY J. 2007. Extreme weather and climate events, and farming risks. In: Sivakumar MVK, Motha RP, editors. *Managing Weather and Climate Risks in Agriculture*. New York: Springer-Verlag Berlin Heidelberg. p. 1–19.
- HÄGGQUIST E, SÖDERHOLM P. 2015. The economic value of geological information: Synthesis and directions for future research. *Resour Policy* 43: 91–100.
- HIGSON C, WALTHO D. 2010. Valuing Information as an Asset. White Paper. Bucks, UK: SAS Institute Inc.
- HIROTA T, USUKI K, HAYASHI M, NEMOTO M, IWATA Y, YANAI Y, YAZAKI T, INOUE S. 2011. Soil frost control: Agricultural adaptation to climate variability in a cold region of Japan. *Mitig Adapt Strat Gl* 16: 791–802.

- HOUGHTON J. 2011. Costs and Benefits of Data Provision. Centre for Strategic Economic Studies. Victoria University, Melbourne, Australia.
- HUBBARD D, MILLAR M. 2014. Modeling Resilience with Applied Information Economics (AIE). USA: Feed the Future, the U.S Government's Global Hunger & Food Security Initiative.
- IGLESIAS A, MOUGOU R, MONEO M, QUIROGA S. 2011. Towards adaptation of agriculture to climate change in the Mediterranean. *Reg Environ Change* 11 (1): 159–166.
- JALÓN SGD, SILVESTRI S, GRANADOS A, IGLESIAS A. 2015. Behavioral barriers in response to climate change in agricultural communities: An example from Kenya. *Reg Environ Change* 14: 645–655.
- JAMIR C, SHARMA N, SENGUPTA A, RAVINDRANATH NH. 2013. Farmers' vulnerability to climate variability in Dimapur District of Nagaland, India. *Reg Environ Change* 13: 153–164.
- KASSIE BT, HENGSDIJK H, RÖTTER R, KAHILUOTO H, ASSENG A, ITTERSUM MV. 2013. Adapting to climate variability and change: Experiences from cereal-based farming in the Central Rift and Kobo Valleys, Ethiopia. *Environ Manage* 52: 1115–1131.
- KASSIE BT, ASSENG A, ROTTER RP, HENGSDIJK H, RUANE AC, ITTERSUM MKV. 2015. Exploring climate change impacts and adaptation options for maize production in Central Rift Valley of Ethiopia using different climate change scenarios and crop models. *Clim Change* 129: 145–158.
- KATZ RW, MURPHY AH. 1997. Economic Value of Weather and Climate Forecasts. 1st ed. Cambridge, UK: Cambridge University Press.
- KELLER K, KIM SR, BAEHR J, BRADROFD DF, OPPENHEIMER M. 2007. What is the economic value of information about climate threshold. In: Schlesinger M, Kheshgi H, Smith J, Chesnaye FDL, Reilly JM, Wilson T and Kolstad C, editors. *Human-induced Climate Change: An Interdisciplinary Assessment*. London, UK: Cambridge University Press.
- KENNY G. 2011. Adaptation in agriculture: Lessons for resilience from Eastern Regions of New Zealand. *Clim Change* 106: 441–462.
- KESHAVERZ M, KARAMI E, ZIBAEI M. 2014. Adaptation of Iranian farmers to climate variability and change. *Reg Environ Change* 14: 1163–1174.
- KHAN KS, KUNZ R, KLEIJNEN J, ANTES G. 2003. Five steps to conducting a systematic review. *J R Soc Med* 96(3): 118–121.
- KIBUE GW, PAN G, ZHENG J, MAO L. 2015. Assessment of climate change awareness and agronomic practices in agricultural region of Henan Province, China. *Environ Dev Sustain* 17: 379–391.
- KLEIN T, HOLZKÄMPER A, CALANCA P, SEPPELT R, FUHRER J. 2013. Adapting agricultural land management to climate change: A regional multi-objective optimization approach. *Landsc Ecol* 28: 2029–2047.
- KLEIN T, HOLZKÄMPER A, CALANCA P, FUHRER J. 2014. Adaptation options under climate change for multifunctional agriculture: A simulation study for Switzerland. *Reg Environ Change* 14: 167–184.
- KLOPPER E, VOGEL CH, LANDMAN WA. 2006. Seasonal climate forecasts - Potential agricultural-risk management tool? *Clim Change* 76: 73–90.
- KOONTANAKULVONG S, CHAOWIWAT W, MIYAZATO T. 2014. Climate change's impact on irrigation system and farmers' response: A case study of the Plaichumpol Irrigation Project, Phitsanulok Province, Thailand. *Paddy Water Environ* 12 (Suppl 2): S241–S254.
- KOOPMAN JFL, KUIK O, TOL RSJ, BROUWER R. 2015. The potential of water markets to allocate water between industry, agriculture, and public water utilities as an adaptation mechanism to climate change. *Mitig Adapt Strat Gl*. DOI 10.1007/s11027-015-9662-z.
- KRUGMAN P, WELLS R. 2012. *Microeconomics*. 3rd ed. New York: Worth Publishers.
- KUNIMITSU Y, KUDO R, IIZUMI T, YOKOZAWA M. 2015. Technological spillover in Japanese rice productivity under long-term climate change: Evidence from the spatial econometric model. *Paddy Water Environ*. DOI 10.1007/s10333-015-0485-z.
- DH, LI E, NUBERG I, BRUWER J. 2014. Farmers' perceived risks of climate change and influencing factors: A study in the Mekong Delta, Vietnam. *Environ Manage* 54: 331–345.
- LEE J-W, JANG J, KO K-K, CHO Y. 2014. Economic valuation of new meteorological information service: Conjoint analysis for a pollen forecast system. *American Meteorological Society (AMS)* 6: 495–505.
- LEMONS MC, FINAN TJ, FOX RW, NELSON DR, TUCKER J. 2002. The use of seasonal climate

- forecasting in policy making: Lessons from Northeast Brazil. *Clim Change* 55: 479–507.
- LOTZE-CAMPEN HL, SCHELLNHUBER H-J. 2009. Climate impacts and adaptation options in agriculture: What we know and what we don't know. *J Verbr Lebensm* 4: 145–150.
- MACAULEY MK. 2005. The value of information: A background paper on measuring the contribution of space-derived earth science data to national resource management. Discussion Paper 05-26. Washington D.C., USA: Resources for the Future.
- MARSHALL NA, GORDON IJ, ASH AJ. 2011. The reluctance of resource-users to adopt seasonal climate forecasts to enhance resilience to climate variability on the rangelands. *Clim Change* 107: 511–529.
- MEINKE H, STONE RC. 2005. Seasonal and inter-annual climate forecasting: The new tool for increasing preparedness to climate variability and change in agricultural planning and operation. *Clim Change* 70: 221–253.
- MENDELSON R, BASIST A, KURUKYLASURIYA P, DINAR A. 2006. Climate change and rural income. *Clim Change* 81: 101–118. MISRA AK. 2012. Climate change impacts, mitigation and adaptation strategies for agricultural and water resources, in Ganga Plain (India). *Mitig Adapt Strat Gl* 18: 673–689.
- MJELDE JW, SONKA ST, PELL DS. 1989. The socioeconomic value of climate and weather forecasting: A review. Research Report 89-01. Illinois, USA: Midwestern Climate Center, Climate & Meteorology Section, Illinois State Water Survey.
- MONTERROSO A, CONDE C, GAY C, GOMÉZ D, LÓPEZ J. 2014. Two methods to assess vulnerability to climate change in the Mexican agricultural sector. *Mitig Adapt Strat Gl* 19: 445–461.
- MOTHA RP, MURTHY VRK. 2007. Agrometeorological services to cope with risks and uncertainties. In: Sivakumar MVK, Motha RP, editors. *Managing Weather and Climate Risks in Agriculture*. New York, USA: Springer-Verlag Berlin Heidelberg. p. 435–462.
- MUNANG R, RIVINGTON M, TAKLE ES, MACLEY B, THIAW I, LIU J. 2010. Climate information and capacity needs for ecosystem management under a changing climate. *Procedia Environ Sci* 1: 206–227.
- MURPHY AH. 1990. The Benefits of Meteorological Information: Decision-making Models and the Value of Forecasts. Geneva, Switzerland: World Meteorological Organisation.
- MURTHY VRK, STIGTER CJ. 2004. Operational agrometeorological services for extension needs and the supportive role of agricultural research. Proceedings of the Inter-Regional Workshop on Strengthening Operational Agrometeorological Services at the Nation's Level. 22–26 March 2004. Manila, Philippines.
- MURUNGWENI C, WIJK MTV, SMALLING EMA, GILLER KE. 2015. Climate-smart crop production in semi-arid areas through increased knowledge of varieties, environment and management factors. *Nutr Cycl Agroecosys*. DOI 10.1007/s10705-015-9695-4.
- MUTABAZI KD, AMJATH-BABU TS, SIEBER S. 2015. Influence of livelihood resources on adaptive strategies to enhance resilience of farm households in Morogoro, Tanzania: An indicator-based analysis. *Reg Environ Change*. DOI 10.1007/s10113-015-0800-7.
- NELSON GC, ROSEGRANT MW, KOO J, ROBERTSON R, SULSER T, ZHU T, RINGLER C, MSANGI S, PALAZZO A, BATKA M, MAGALHAES M, SANTOS RV, EWING M, LEE D. 2009. Climate change: Impact on agriculture and costs of adaptation. Food Policy Report. Washington, D. C, USA: International Food Policy Research Institute – IFPRI.
- NEWSHAM AJ, THOMAS DSG. 2011. Knowing, farming and climate change adaptation in North-Central Namibia. *Glob Environ Change* 21: 761–770.
- NGUYEN Q, HOANG MH, ÖBORN I, NOORDWIJK MV. 2013. Multipurpose agroforestry as a climate change resiliency option for farmers: An example of local adaptation in Vietnam. *Clim Change* 117: 241–257.
- PAAVOLA J. 2008. Livelihood, vulnerability and adaptation to climate change in Morogoro, Tanzania. *Environ Sci Policy* 11: 642–654.
- PATT A, GWATA C. 2002. Effective seasonal climate forecast applications: Examining constraints for subsistence farmers in Zimbabwe. *Glob Environ Change* 12: 185–195.
- PATT AG, SCHRÖTER D. 2008. Perceptions of climate risk in Mozambique: implications for the success of adaptation strategies. *Glob Environ Change* 18(3): 458–467.
- PENNESI K, AROKIJUM J, MCBEAN G. 2012. Integrating

- local and scientific weather knowledge as a strategy for adaptation to climate change in the Arctic. *Mitig Adapt Strat Gl* 17: 897–922.
- PERARNAUD V, SEGUIN B, MALEZIUEX E, DEQUE M, LOUSTAU D. 2005. Agrometeorological research and applications needed to prepare agriculture and forestry for 21st century climate change. *Clim Change* 70: 319–340.
- SVRK, SHAW R. 2008. Climate change adaptation Implications for drought risk mitigation: A perspective for India. *Clim Change* 88: 113–130.
- QIU Z, PRATO T. 2012. Economic feasibility of adapting crop enterprises to future climate change: A case study of flexible scheduling and irrigation for representative farms in Flathead Valley, Montana, USA. *Mitig Adapt Strat Gl* 17: 223–242.
- RAHN E, LÄDERACH P, BACA M, CRESSY C, SCHROTH G, MALIN D, RIKXOORT HV, SHRIVER J. 2014. Climate change adaptation, mitigation and livelihood benefits in coffee production: Where are the synergies? *Mitig Adapt Strat Gl* 19: 1119–1137.
- RAMIREZ-VILLEGAS J, SALAZAR M, JARVIS A, NAVARRO- RACINES CE. 2012. A way forward on adaptation to climate change in Colombian agriculture: Perspective toward 2050. *Clim Change* 115: 611–628.
- RAO GSLHVP, MANIKANDAN N. 2008. Economic impact of agrometeorological advisory services over the Central Zone of Kerala. *J Agrometeorol* 10: 230–234.
- RATHORE LS, BHOWMIK SKR, CHATTOPADHYAY N. 2011. Integrated agrometeorological advisory services in India. In: Attri SD, Rathore LS, Sivakumar MVK, Dash SK, editors. *Challenges and Opportunities in Agrometeorology*. New York: Springer-Verlag Berlin Heidelberg. p. 195–205.
- REIDSMA P, EWERT F, LANSINK AO, LEEMANS R. 2009. Vulnerability and adaptation of European farmers: A multi-level analysis of yield and income responses to climate variability. *Reg Environ Change* 9: 25–40.
- REIDSMA P, EWERT F, LANSINK AO, LEEMANS R. 2010. Adaptation to climate change and climate variability in European Agriculture: The importance of farm level response. *Eur J Agron* 32: 91–102.
- RISBEY J, KANDLIKA M, DOWLATABADI H, GRAETZ D. 1999. Scale, context, and decision making in agricultural adaptation to climate variability and change. *Mitig Adapt Strat Gl* 4: 137–165.
- ROCO L, ENGLER A, URETA BEB, ROJAS RJ. 2015. Farmers' perception of climate change in Mediterranean Chile. *Reg Environ Change* 15: 867–879.
- ROGERS DP, TSIRKUNOV VV. 2013. *Weather and Climate Resilience: Effective Preparedness through National Meteorological and Hydrological Services*. Washington, DC, USA: The World Bank.
- RONCOLI C, JOST C, KIRSHEN P, SANON M, INGRAM KT, WOODIN M, SOMÉ L, OUATTARA F, SANFO BJ, SIA C, YAKA P, HOOGENBOOM G. 2009. From assessing to assessing forecasts: An end-to-end study of participatory climate forecast dissemination in Burkina Faso (West Africa). *Clim Change* 92: 433–460.
- RONCOLI C, ORLOVE BS, KABUGO MR, WAISWA MM. 2011. Cultural styles of participation in farmers' discussion of seasonal climate forecast in Uganda. *Agric Human Values* 28: 123–128.
- ROSENZWEIG C, TUBIELLO FN. 2007. Adaptation and mitigation in agriculture: An analysis of potential synergies. *Mitig Adapt Strat Gl* 12: 855–873.
- SAROAR MM, ROUTRAY JK. 2012. Impacts of climate disasters in coastal Bangladesh: Why does private adaptive capacity differ? *Reg Environ Change* 12: 169–190.
- SCHERR SJ, SHAMES S, FRIEDMAN R. 2012. From climate-smart agriculture to climate-smart landscapes. *Agriculture & Food Security* 1(12): 1–15.
- SCHOTTER A. 2009. *Microeconomics: A Modern Approach*. 1st ed. Mason, OH, USA: South-Western Cengage Learning.
- SEO SN, MENDELSON R. 2008. An analysis crop choice: Adapting to climate change in South American farms. *Ecol Econ* 67: 109–116.
- SIMA M, POPOVOCI EA, BLĂLTEANU D, MICU DM, KUSICSA M, DRAGOTĂ C, GRIGORESCU I. 2015. A farmer-base analysis of climate change adaptation options of agriculture in the Bărăgan Plain, Romania. *Earth Perspectives* 2(5).
- SISSOKO K, KEULEN HV, VERHAGEN J, TEKKE V, BATTAGLINI A. 2011. Agriculture, livelihoods and climate change in the West African Sahel. *Reg Environ Change* 11 (Suppl 1): S119–S125.
- SIVAKUMAR MVK. 2011. Operational

- agrometeorological strategies in different regions of the world. In: Attri SD, Rathore LS, Sivakumar MVK, Dash SK, editors. *Challenges and Opportunities in Agrometeorology*. New York: Springer-Verlag Berlin Heidelberg. p. 551–571.
- SIVAKUMAR MVK, DAS HP, BRUNINI O. 2005. Impacts of present and future Climate variability and change on agriculture and forestry in the arid and semi-arid tropics. *Clim Change* 70: 31–72.
- SIVAKUMAR MVK, DE US, SINHA KC, RAJEEVAN R. 1998. User Requirements for Meteorological Services. *Proceedings of an International Workshop*. 10–14 November 1997. Shivajinagar, Pune, India: India Meteorological Department. 336 p.
- SMIT B, SKINNER MW. 2002. Adaptation options in agriculture to climate change: A typology. *Mitig Adapt Strat Gl* 7: 85–114.
- SOLÍ D, LETON D. 2013. Assessing the value of climate information and forecasts for the agricultural sector in the Southeastern United States: Multi-output stochastic frontier approach. *Reg Environ Change* 13 (Suppl 1): S5–S14.
- SOWERS J, VENGOSH A, WEINTHAL E. 2011. Climate change, water resources, and the politics of adaptation in the Middle East and North Africa. *Clim Change* 104: 599–627.
- SRIVASTAVA AK, GAISER T, EWERT F. 2015. Climate change impact and potential adaptation strategies under alternate climate scenarios for yam production in the Sub-humid savannah zone of West Africa. *Mitig Adapt Strat Gl*. DOI 10.1007/s11027-015-9639-y.
- STIGLITZ JE. 2000. The contributions of the economics of information to twentieth century economics. *Q J Econ* 115(4): 1411–1478.
- TAMBO JA, ABDOULAYE T. 2012. Climate change and agricultural technology adoption: The case of drought tolerant maize in rural Nigeria. *Mitig Adapt Strat Gl* 17: 277–292.
- TAMBO JA, ABDOULAYE T. 2013. Smallholder farmers' perceptions of and adaptations to climate change in the Nigerian savanna. *Reg Environ Change* 13: 375–388.
- TARNOCZI TJ, BERKES F. 2010. Sources of information for farmers' adaptation practices in Canada's prairie agro-ecosystem. *Clim Change* 98: 299–305.
- TEISBERG TJ, WEIHER RF, KHOTANZAD A. 2005. The economic value of temperature forecasts in electricity generation. *Bull Am Meteorol Soc* 86: 1765–1771.
- TEMPLETON SR, PERKINS MS, ALDRIDGE HD, BRIDGES Jr WC, LASSITER BR. 2014. Usefulness and use of climate forecast for agricultural extension in South Carolina, USA. *Reg Environ Change* 14: 645–655.
- TENA EC, GÓMEZ SQ. 2009. Economic value of weather forecasting: The role of risk aversion. *TOP* 19: 130–149.
- THOMAS DSG, TWYMAN C, OSBAHR H, HEWITSON B. 2007. Adaptation to climate change and variability: Farmer responses to intra-seasonal precipitation trends in South Africa. *Clim Change* 83: 301–322.
- THORLAKSON T, NEUFELDT H. 2012. Reducing subsistence farmers' vulnerability to climate change: evaluating the potential contributions of agroforestry in western Kenya. *Agriculture and Food Security* 1: 15.
- THORNTON TF, COMBERTI C. 2013. Synergies and trade-off between adaptation, mitigation and development. *Clim Change* 115: 611–628.
- TINGEM M, RIVINGTON M. 2008. Adaptation for crop agriculture to climate change in Cameroon: Turning on the heat. *Mitig Adapt Strat Gl* 14: 153–168.
- TRÆRUP S, STEPHAN J. 2014. Technologies for adaptation to climate change. Examples from the agricultural and water sectors in Lebanon. *Clim Change*. DOI 10.1007/s10584-014-1158-4.
- USTRNUL Z, WYPYCH A, HENEK E, MACIEJEWSKI M, BOCHENEK B. 2015. Climatologically based warning system against meteorological hazards and weather extremes: The example for Poland. *Nat Hazards* 77: 1711–1729.
- VARIAN HR. 1992. *Microeconomic Analysis*. 3rd ed. New York: W. W. Norton & Company.
- VERCHOT LV, NOORDWIJK MV, KANDIJ S, TOMICH T, ONG C, ALBRECHT A, MACKENSEN J, BANTILAN C, ANUPAMAAND KV, PALM C. 2007. Climate change: Linking adaptation and mitigation through agroforestry. *Mitig Adapt Strat Gl* 12: 901–918.
- WANG E, MCINTOSH P, JIANG Q, XU J. 2009. Quantifying the value of historical climate knowledge and climate forecast using agricultural system modeling. *Clim Change* 96: 45–61.
- WANTANABE T, KUME T. 2009. A general adaptation

- strategy for climate change impacts on paddy cultivation: Special reference to Japanese context. *Paddy Water Environ* 7: 313–320.
- WESTENGEN OT, BRYSTING AK. 2014. Crop adaptation to climate change in the semi-arid zone in Tanzania: The role of genetic resources and seed systems. *Agriculture and Food Security* 3(3).
- WESTERHOFF L, SMITH B. 2009. The rains are disappointing us: Dynamic vulnerability and adaptation to multiple stressors in the Afram Plains, Ghana. *Mitig Adapt Strat Gl* 14: 317–337.
- WILBANKS TJ, LEIBY P, PERLACK R, ENSMINGER JT, WRIGHT SB. 2007. Toward and integrated analysis of mitigation and adaptation: Some preliminary findings. *Mitig Adapt Strat Gl* 12: 713–725.
- WILLIAMSON RA, HERTZFELD HR, CORDES J. 2002. *The Socio-economic Value of Improved Weather and Climate Information*. Washington, D.C, USA: Space Policy Institute, the George Washington University.
- WINARTO YT, STIGTER K, DWISATRITO B, NURHAGA M, BOWOLAKSONO A. 2013. Agrometeorological learning increasing farmer's knowledge in coping with climate change and unusual risks. *Southeast Asian Studies* 2(2): 323–349.
- YANG X, LIN E, MA S, JU H, GUO L, XIONG W, LI Y, XU Y. 2007. Adaptation of agriculture to warming in Northeast China. *Clim Change* 84: 45–58.
- YARO JA. 2013. The perception of and adaptation to climate variability/change in Ghana by small-scale and commercial farmers. *Reg Environ Change* 13: 1259–1272.
- ZHANG H-L, ZHAO X, YIN X-G, LIU S-L, XUE J-F, WANG M, PU C, LAL R, CHEN F. 2015. Challenges and adaptation of farming to climate change in the North China Plain. *Clim Change* 129: 213–224.
- ZIERVOGEL G, DOWNING TE. 2004. Stakeholder networks: Improving seasonal climate forecasts. *Clim Change* 65: 73–101.
- ZIERVOGEL G, JOHNSTON P, MATTHEW M, MUKHEIBIR P. 2010. Using climate information for supporting climate change adaptation in water resource management in South Africa. *Clim Change* 103: 537–554.